

From: [Stephen Kessel](#)
To: ["Anthony Findley"](#)
Cc: [Sontag, John](#); [Ferreira, Steve](#); [Mark Fisher](#); [Kellmann, Brian E \(Brian\)](#); ["Schnee, Daniel J"](#); [D. J. \(Donald\) Camerson - Bressler, Amery & Ross, PC \(DJCamerson@bressler.com\)](#); [Carolyn Spinapolicie](#); [Everett, Adolph](#); [EHRLICH, CAROLINE](#); [pfontaine@cozen.com](#)
Subject: Hatco Impacts on Former Nuodex Site (PI No. G000001659)
Date: Friday, April 01, 2022 4:18:31 PM
Attachments: [Hatco Impacts on Site April 1 2022.pdf](#)

Tony,

Attached for your review is a letter regarding the Hatco impacts on the Former Nuodex Site (i.e., EPEC Polymers Site).

Please let me know if you have any questions or want to discuss.

Thanks.

Steve

Stephen A. Kessel, P.E., LSRP

Vice President/Chief Engineer
Brown and Caldwell | Ramsey, NJ
SKessel@brwncald.com
T 201.574.4720 | C 551.427.7654



Get water industry news delivered to your desktop, free, from BCWaterNews.com [Sign up now!](#)
Professional Registration in Specific States-